

Author Index

- Abbott, L.C., see Lau, F.C. (59) 93
 Adhikary, G., see Mishra, R.R. (59) 74
 Alvarez-Hernandez, X., see Bueno, O.F. (59) 165
 Baker, N.L., see Beilharz, E.J. (59) 119
 Barattè, S., Molinari, A., Veneroni, O., Speciale, C., Benatti, L. and Salvati, P.
 Temporal and spatial changes of quinolinic acid immunoreactivity in the gerbil hippocampus following transient cerebral ischemia (59) 50
 Baudry, M., see Crispino, M. (59) 178
 Beilharz, E.J., Russo, V.C., Butler, G., Baker, N.L., Connor, B., Sirimanne, E.S., Dragunow, M., Werther, G.A., Gluckman, P.D., Williams, C.E. and Scheepens, A.
 Co-ordinated and cellular specific induction of the components of the IGF/IGFBP axis in the rat brain following hypoxic-ischemic injury (59) 119
 Benatti, L., see Barattè, S. (59) 50
 Bennett Jr., J.P., see Leslie, C.A. (59) 40
 Black, I.B., see Suen, P.-c. (59) 215
 Blümcke, I., see Bunzel, R. (59) 90
 Boado, R.J. and Pardridge, W.M.
 Ten nucleotide cis element in the 3'-untranslated region of the GLUT1 glucose transporter mRNA increases gene expression via mRNA stabilization (59) 109
 Boddeke, H.W.G.M., see Ren, L.-q. (59) 256
 Brady, D.R., see Hatanpää, K. (59) 13
 Brändle, U., Guenther, E., Irrle, C. and Wheeler-Schilling, T.H.
 Gene expression of the P2X receptors in the rat retina (59) 269
 Bueno, O.F., Robinson, L.C., Alvarez-Hernandez, X. and Leidenheimer, N.J.
 Functional characterization and visualization of a GABA_A receptor-GFP chimera expressed in *Xenopus* oocytes (59) 165
 Bunzel, R., Blümcke, I., Cichon, S., Normann, S., Schramm, J., Propping, P. and Nöthen, M.M.
 Polymorphic imprinting of the serotonin-2A (5-HT_{2A}) receptor gene in human adult brain (59) 90
 Burt, D.R., see Liu, Z.F. (59) 84
 Butler, G., see Beilharz, E.J. (59) 119
 Caberlotto, L., Fuxe, K., Overstreet, D.H., Gerrard, P. and Hurd, Y.L.
 Alterations in neuropeptide Y and Y1 receptor mRNA expression in brains from an animal model of depression: region specific adaptation after fluoxetine treatment (59) 58
 Chandrasekaran, K., see Hatanpää, K. (59) 13
 Chen, S., see Xu, J. (59) 135
 Cherniack, N.S., see Mishra, R.R. (59) 74
 Chin, H., see Lau, F.C. (59) 93
 Cichon, S., see Bunzel, R. (59) 90
 Cohen, B.N., see Viseshakul, N. (59) 100
 Cohen, R.S., see Rachman, I.M. (59) 105
 Connor, B., see Beilharz, E.J. (59) 119
 Crispino, M., Tocco, G., Feldman, J.D., Herschman, H.R. and Baudry, M.
 Nurr1 mRNA expression in neonatal and adult rat brain following kainic acid-induced seizure activity (59) 178
 Dhillon, H.S., see Hicks, R.R. (59) 264
 Dragunow, M., see Beilharz, E.J. (59) 119
 Duch, D.S., see Frenkel, C. (59) 22
 Elmer, L.W., see Zhang, L. (59) 66
 Fan, G., see Xu, J. (59) 135
 Feldman, J.D., see Crispino, M. (59) 178
 Ferrer, I., see Goutan, E. (59) 154
 Figl, A., see Viseshakul, N. (59) 100
 Fink, G., see Sumner, B.E.H. (59) 205
 Frenkel, C., Wartenberg, H.C., Duch, D.S. and Urban, B.W.
 Steady-state properties of sodium channels from healthy and tumorous human brain (59) 22
 Fuxe, K., see Caberlotto, L. (59) 58
 Gebicke-Haerter, P.J., see Ren, L.-q. (59) 256
 Gerrard, P., see Caberlotto, L. (59) 58
 Gluckman, P.D., see Beilharz, E.J. (59) 119
 Gourmal, N., see Ren, L.-q. (59) 256
 Goutan, E., Martí, E. and Ferrer, I.
 BDNF, and full length and truncated TrkB expression in the hippocampus of the rat following kainic acid excitotoxic damage. Evidence of complex time-dependent and cell-specific responses (59) 154
 Grattan, D.R., see Pi, X.-J. (59) 1
 Guan, X.-M., Yu, H. and Van der Ploeg, L.H.T.
 Evidence of altered hypothalamic pro-opiomelanocortin/ neuropeptide Y mRNA expression in tubby mice (59) 273
 Guenther, E., see Brändle, U. (59) 269
 Hashimoto, T., Mukai, H., Kawamata, T., Taniguchi, T., Ono, Y. and Tanaka, C.
 Localization of PKN mRNA in the rat brain (59) 143
 Hatanpää, K., Chandrasekaran, K., Brady, D.R. and Rapoport, S.I.
 No association between Alzheimer plaques and decreased levels of cytochrome oxidase subunit mRNA, a marker of neuronal energy metabolism (59) 13
 Herschman, H.R., see Crispino, M. (59) 178
 Hicks, R.R., Zhang, L., Dhillon, H.S., Prasad, M.R. and Seroogy, K.B.
 Expression of trkB mRNA is altered in rat hippocampus after experimental brain trauma (59) 264
 Hsu, C.Y., see Xu, J. (59) 135
 Hsu, H., see Shen, J. (59) 247
 Hurd, Y.L., see Caberlotto, L. (59) 58
 Igarashi, K., see Kaisho, Y. (59) 114
 Irrle, C., see Brändle, U. (59) 269
 Jung, A., see Leslie, C.A. (59) 40
 Kaisho, Y., Nakata, M., Shintani, A., Kasuga, H., Igarashi, K., Kitamura, Y. and Nomura, S.
 Tissue and cell type specificity of the human neurotrophin-3 promoter region in transgenic mice (59) 114
 Kamatchi, G.L., see Liu, Z.F. (59) 84
 Kasuga, H., see Kaisho, Y. (59) 114
 Kawamata, T., see Hashimoto, T. (59) 143
 Kim, D.S., see Lau, F.C. (59) 93
 Kitamura, Y., see Kaisho, Y. (59) 114
 Krause, J.E., see Zahm, D.S. (59) 196
 Kuroda, Y. and McEwen, B.S.
 Effect of chronic restraint stress and tianeptine on growth factors, growth-associated protein-43 and microtubule-associated protein 2 mRNA expression in the rat hippocampus (59) 35
 Lau, F.C., Abbott, L.C., Rhyu, I.J., Kim, D.S. and Chin, H.
 Expression of calcium channel α_{1A} mRNA and protein in the leaner mouse (*tg^{la} / tg^{la}*) cerebellum (59) 93
 Leidenheimer, N.J., see Bueno, O.F. (59) 165
 Leslie, C.A., Jung, A. and Bennett Jr., J.P.
 Potentiation of D2-dopamine receptor-mediated suppression of *zif* 268 by non-competitive NMDA receptor antagonists in reserpinized rats (59) 40

- Levine, E.S., see Suen, P.-c. (59) 215
 Lin, S.-y., see Suen, P.-c. (59) 215
 Little, K.Y., see Zhang, L. (59) 66
 Liu, Y., Tonna-DeMasi, M., Park, E., Schuller-Levis, G. and Quinn, M.R.
 Taurine chloramine inhibits production of nitric oxide and prostaglandin E₂ in activated C6 glioma cells by suppressing inducible nitric oxide synthase and cyclooxygenase-2 expression (59) 189
 Liu, Z.F., Kamatchi, G.L., Moreira, T., Mu, W. and Burt, D.R.
 The $\alpha 5$ subunit of the murine type A GABA receptor (59) 84
 Lytle, C., see Viseshakul, N. (59) 100
 Marcinkiewicz, J., see Marcinkiewicz, M. (59) 229
 Marcinkiewicz, M., Savaria, D. and Marcinkiewicz, J.
 The pro-protein convertase PC1 is induced in the transected sciatic nerve and is present in cultured Schwann cells: comparison with PC5, furin and PC7, implication in pro-BDNF processing (59) 229
 Martí, E., see Goutan, E. (59) 154
 McEwen, B.S., see Kuroda, Y. (59) 35
 Mishra, R.R., Adhikary, G., Simonson, M.S., Cherniack, N.S. and Prabhakar, N.R.
 Role of *c-fos* in hypoxia-induced AP-1 *cis*-element activity and tyrosine hydroxylase gene expression (59) 74
 Molinari, A., see Barattè, S. (59) 50
 Moreira, T., see Liu, Z.F. (59) 84
 Mu, W., see Liu, Z.F. (59) 84
 Mukai, H., see Hashimoto, T. (59) 143
 Nakata, M., see Kaisho, Y. (59) 114
 Nomura, S., see Kaisho, Y. (59) 114
 Normann, S., see Bunzel, R. (59) 90
 Nöthen, M.M., see Bunzel, R. (59) 90
 Ono, Y., see Hashimoto, T. (59) 143
 Overstreet, D.H., see Caberlotto, L. (59) 58
 Pardridge, W.M., see Boado, R.J. (59) 109
 Park, E., see Liu, Y. (59) 189
 Pfaff, D.W., see Rachman, I.M. (59) 105
 Pi, X.-J. and Grattan, D.R.
 Differential expression of the two forms of prolactin receptor mRNA within microdissected hypothalamic nuclei of the rat (59) 1
 Prabhakar, N.R., see Mishra, R.R. (59) 74
 Prasad, M.R., see Hicks, R.R. (59) 264
 Propping, P., see Bunzel, R. (59) 90
 Quinn, M.R., see Liu, Y. (59) 189
 Rachman, I.M., Unnerstall, J.R., Pfaff, D.W. and Cohen, R.S.
 Regulation of neuronal nitric oxide synthase mRNA in lordosis-relevant neurons of the ventromedial hypothalamus following short-term estrogen treatment (59) 105
 Rapoport, S.I., see Hatanpää, K. (59) 13
 Ren, L.-q., Gourmala, N., Boddeke, H.W.G.M. and Gebicke-Haerter, P.J.
 Lipopolysaccharide-induced expression of IP-10 mRNA in rat brain and in cultured rat astrocytes and microglia (59) 256
 Rhyu, I.J., see Lau, F.C. (59) 93
 Robinson, L.C., see Bueno, O.F. (59) 165
 Russo, V.C., see Beilharz, E.J. (59) 119
 Salvati, P., see Barattè, S. (59) 50
 Savaria, D., see Marcinkiewicz, M. (59) 229
 Scheepens, A., see Beilharz, E.J. (59) 119
 Schramm, J., see Bunzel, R. (59) 90
 Schuller-Levis, G., see Liu, Y. (59) 189
 Seroogy, K.B., see Hicks, R.R. (59) 264
 Shah, S., see Shen, J. (59) 247
 Shen, J., Shah, S., Hsu, H. and Yoburn, B.C.
 The effects of antisense to G_{iα2} on opioid agonist potency and G_{iα} protein and mRNA abundance in the mouse (59) 247
 Shintani, A., see Kaisho, Y. (59) 114
 Simonson, M.S., see Mishra, R.R. (59) 74
 Sirimanne, E.S., see Beilharz, E.J. (59) 119
 Speciale, C., see Barattè, S. (59) 50
 Suen, P.-c., Wu, K., Xu, J.-l., Lin, S.-y., Levine, E.S. and Black, I.B.
 NMDA receptor subunits in the post-synaptic density of rat brain: expression and phosphorylation by endogenous protein kinases (59) 215
 Sumner, B.E.H. and Fink, G.
 Testosterone as well as estrogen increases serotonin_{2A} receptor mRNA and binding site densities in the male rat brain (59) 205
 Tanaka, C., see Hashimoto, T. (59) 143
 Taniguchi, T., see Hashimoto, T. (59) 143
 Tocco, G., see Crispino, M. (59) 178
 Tonna-DeMasi, M., see Liu, Y. (59) 189
 Unnerstall, J.R., see Rachman, I.M. (59) 105
 Urban, B.W., see Frenkel, C. (59) 22
 Van der Ploeg, L.H.T., see Guan, X.-M. (59) 273
 Veneroni, O., see Barattè, S. (59) 50
 Viseshakul, N., Figl, A., Lytle, C. and Cohen, B.N.
 The $\alpha 4$ subunit of rat $\alpha 4\beta 2$ nicotinic receptors is phosphorylated in vivo (59) 100
 Wartenberg, H.C., see Frenkel, C. (59) 22
 Werther, G.A., see Beilharz, E.J. (59) 119
 Wheeler-Schilling, T.H., see Brändle, U. (59) 269
 Williams, C.E., see Beilharz, E.J. (59) 119
 Williams, E.S., see Zahm, D.S. (59) 196
 Wu, K., see Suen, P.-c. (59) 215
 Wu, Y., see Xu, J. (59) 135
 Xu, J., Fan, G., Chen, S., Wu, Y., Xu, X.M. and Hsu, C.Y.
 Methylprednisolone inhibition of TNF- α expression and NF- κ B activation after spinal cord injury in rats (59) 135
 Xu, J.-l., see Suen, P.-c. (59) 215
 Xu, X.M., see Xu, J. (59) 135
 Yoburn, B.C., see Shen, J. (59) 247
 Yu, H., see Guan, X.-M. (59) 273
 Zahm, D.S., Williams, E.S. and Krause, J.E.
 Desensitization and enhancement of neurotensin/neuromedin N mRNA responses in subsets of rat caudate-putamen neurons following multiple administrations of haloperidol (59) 196
 Zhang, L., Elmer, L.W. and Little, K.Y.
 Expression and regulation of the human dopamine transporter in a neuronal cell line (59) 66
 Zhang, L., see Hicks, R.R. (59) 264

